



Tue, 8 Apr 2008, 2:45:46 PM EST

Edit an existing query or
compose a new query in the
Search Query Display

Search Query Display

Select a search number (#)
to

[Run Search](#) [Cancel](#)

• Add a query to the Search
Query Display

• Combine search queries
using AND, OR, or NOT

• Delete a search

• Run a search

Number Search Query

Execution

#1	((mes and (buffer or queue or table) and cache) <-in> metadata)	64
#2	((((mes and (buffer or queue or table) and cache) <-in> metadata)	0
#3	((mes and (buffer or queue or table) and cache) <-in> metadata)	200
#4	((((mes) <-in>) and ((buffer or queue or table) <-in>))	1
#5	((~mes address table ~) <-in> metadata)	0
#6	((~mes buffer ~) <-in> metadata)	1
#7	((~mes queue ~) <-in> metadata)	0
#8	((~pending queue ~ and cache) <-in> metadata)	0
#9	((~pending buffer ~ and cache) <-in> metadata)	0
#10	((~pending table ~ and cache) <-in> metadata)	0

[Close Search History](#)

Sponsored by
inspec

[Help](#) | [Contact Us](#) | [Privacy & Security](#) | [IEEE.org](#)

© Copyright 2008 IEEE - All Rights Reserved